



INSTITUTO SUPERIOR TÉCNICO
Universidade Técnica de Lisboa



Scalable and secure RFID data discovery

Miguel F. L. Pardal
(MSc in Computer Science and Engineering)

Submitted in Partial Fulfillment of the Requirements
for the Degree of Doctor of Philosophy
Computer Science and Engineering

Committee:

Supervised by: Prof. José M. C. Alves Marques
Prof. Sanjay E. Sarma
Committee: Prof. Luís E. T. Rodrigues
Dr. Christian Floerkemeier

July 7, 2009

Abstract

Radio-frequency identification (RFID) enables the *total visibility supply chain*, where trading partners collect data about physical goods in the supply chain and share it, as long as their own interests are safeguarded. The sharing restrictions can be stated in *discovery policies*, interpreted and enforced by *discovery services* that lookup information about physical goods across organizational boundaries and disperse geographic regions.

This research proposal aims to study how discovery policies and context data can improve the *scalability* of secure discovery services.

Keywords & Palavras Chave

Keywords

- Business-to-business
- RFID Discovery
- Scalability
- Security

Palavras Chave

- Negócio-para-negócio
- Descoberta RFID
- Escalabilidade
- Segurança

Contents

1	Introduction	1
1.1	Motivation	1
1.1.1	RFID	1
1.1.2	Supply chains	1
1.1.3	EPC standards	2
1.1.4	RFID data discovery	2
1.2	Research question	3
1.3	Summary	3
2	Background	5
2.1	RFID technology	5
2.2	RFID-enabled information systems	6
2.2.1	Information systems	6
2.2.1.1	Naming	7
2.2.2	RFID data	7
2.2.2.1	Tag memory	7
2.2.2.2	Observations	8
2.2.2.3	Events	8
2.2.3	RFID system layers	8
2.3	The EPC framework	10
2.3.1	Tags	10
2.3.2	Readers	10
2.3.3	Application Level Events	10
2.3.4	EPC Information Services	12
2.3.5	Object Name Service	12
2.3.6	EPCIS discovery	12
2.3.7	EPCIS discovery draft proposal	14

2.3.7.1	Participants	14
2.3.7.2	Assertions	14
2.3.7.3	Messages	15
2.4	Summary	16
3	Problem	17
3.1	Supply chain domain	17
3.1.1	Total visibility supply chain	17
3.1.2	RFID benefits for supply chains	18
3.1.3	EPC supply chain	18
3.2	Discovery for supply chains	19
3.2.1	Discovery policies	19
3.2.2	Requirements survey	20
3.2.2.1	Business drivers	20
3.2.2.2	Data attributes	21
3.2.2.3	Data distribution	21
3.2.2.4	Performance and availability	21
3.2.2.5	Management	21
3.2.3	Core requirements	21
3.2.3.1	Security	22
3.2.3.2	Scalability	22
3.3	Summary	23
4	Research proposal	25
4.1	Evaluation approach	25
4.2	Product recall scenario	25
4.2.1	Motivation	26
4.3	Baseline	26
4.3.1	EPCIS implementation	26
4.3.2	Discovery implementation proposal	27
4.4	Topline	27
4.4.1	Blackboard	27
4.4.1.1	Representation of assertions	28

4.4.1.2	Representation of supply chains	29
4.4.2	Distributed blackboard	29
4.4.2.1	Event publication and subscription	30
4.4.2.2	Locality	30
4.4.2.3	Trust	31
4.4.3	Massively distributed blackboard	31
4.5	Summary	32
5	Conclusions and future work	33
5.1	Work plan	33
5.1.1	Past	33
5.1.2	Future	33
5.2	Contributions	33
5.2.1	So far	34
5.2.2	Expected	34
5.2.3	Future Work	34
A	Bibliography	35
B	GS1 Identification System	39
B.1	Common identifier components	39
B.2	Identifiers	40

List of Figures

1.1	UHF RFID Tag (image courtesy of Alien Technologies).	1
1.2	RFID Reader (image courtesy of ThingMagic).	2
2.1	Data and energy transfer in RFID operation (Roussos [2006]).	5
2.2	Memory contents of a RFID identifier tag.	7
2.3	Observation of a RFID identifier tag.	8
2.4	RFID data flow through the system layers.	9
2.5	Overview of the EPC Architecture Framework.	11
2.6	ONS resolver data flow (based on EPCglobal [2008c]).	13
2.7	Discovery using the link traversal approach.	13
2.8	Discovery using the directory approach.	14
2.9	Discovery driven by assertions.	15
3.1	Graph representation of a transoceanic supply chain.	17
3.2	EPCglobal core services for subscribers.	18
3.3	EPC supply chain.	19
3.4	RFID data discovery query space.	20
4.1	Fosstrak EPCIS architecture (http://www.fosstrak.org).	27
4.2	Discovery services based on a Blackboard.	28
4.3	Discovery services based on a Distributed Blackboard.	29
4.4	Generalized trust schema.	31
4.5	Global-scale discovery services based on a Massively Distributed Blackboard.	32

